



▼ ACCOUNT INFORMATION

P.O. # or Quote:
Dealer Contact Name:
Email Address:
Phone Number: Fax Number:
Bill to (Name):
Bill to (Location):
Ship to (Name):
Address:
City:
State: Zip Code:
User Name or Number:
User Weight:
User Height:
Seat Cushion Thickness:
Knee to Heel Length: Left: Right:

The order cannot be processed without the following:

- A user name or number, the client's measurements and weight - Amysystems is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Amysystems summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

▼ POWER BASE SELECTION & ELECTONICS

▲ Seat to floor height (STFH) is measured at the front of the seat pan with a 0° Pre-Tilt. Lowest STFH (within ¼") is shown below.

Table with columns: Amysystems, ▼STFH w/ Tilt, ▼STFH w/ Combo. Rows include Alltrack MWD M, HD, and RWD R.

▼ Electronics

- VR2
R-Net / R-Net EL

Table with columns: Quickie, ▼STFH w/ Tilt, ▼STFH w/ Combo. Rows include QM715 and S636 / S646.

▼ Electronics

- R-Net / R-Net EL

▲ Additional charges may apply if base is equipped with anti-tip cables

► Pride Quantum

▲ When a chair is equipped with an 11" seat lift and Q-Logic electronics, reduced speed requires power seating options through drive controls (SWTJSS, SWTJSD or SWTJSM)

▲ Q-Logic NE is not compatible with through joystick activation of the power seating options and does not offer reduce speed with seat elevator.

Table with columns: Q6 Edge HD, ▼STFH w/ Tilt, ▼STFH w/ Combo. Rows include Q6 Edge HD, 1450, and 614 HD.

▼ Electronics

- Dynamic Shark
6 key VR2
Q-Logic 1 or 2
Q-Logic 3
Q-Logic NE
Q-Logic NE +

Table with columns: Invacare, ▼STFH w/ Tilt, ▼STFH w/ Combo. Rows include FDX, TDX SP, GP 22, GP 24, TDX SR, Storm 3G, Short, Long.

▼ Electronics

- Mk690
Mk690ACC
Mk6TT
Mk6 GTRAC
Linx

▼ Joysticks

- SPJ
MPJ / DISPLAY

Table with columns: Other Manufacturers, ▼STFH w/ Tilt, ▼STFH w/ Combo. Rows include 21st Century Big Bounder, IIM - Frontier V6, IIM - X8 Extreme, Other Power Wheelchair.

▼ Electronics

- 21st Century Scientific
IIM - PG R-Net

▼ INSTALLATION

□ NOTE-IN-HOUSE

Factory Installation

STD

▲ The Wheelchair will drop-ship from the manufacturer

## ▼ POWER OPTIONS & SEATING

<input type="checkbox"/>	<b>SAABAHD</b>	Amyseat Rehab Seat - Seat Frame only		\$1,995
<input type="checkbox"/>	<b>SAPTNDH</b>	CG Power Tilt	(E1002)	\$4,650
		▲ This option includes the Amyseat Rehab Seat (SAABA)		
<input type="checkbox"/>	<b>SAPRNHD</b>	Power Recline with Integrated Shear Reduction (ISR)	(E1004)	\$5,920
		▲ This option includes the Amyseat Rehab Seat (SAABA). It is recommended to use the NXT Back Support option with the power recline (NXTFHTAC)		
<input type="checkbox"/>	<b>SAPTPRNHD</b>	CG Power Tilt and Power Recline with Integrated Shear Reduction (ISR)	(E1007)	\$10,630
		▲ This option includes the Amyseat Rehab Seat (SAABA). It is recommended to use the NXT Back Support option with the power recline (NXTFHTAC)		
<input type="checkbox"/>	<b>SAPESH</b>	11" Power Elevating Seat Module for transfer assist	(E2300)	\$5,175
		▲ This option includes the Amyseat Rehab Seat (SAABA), Maximum user weight is 400lb with this option.		
<input type="checkbox"/>	<b>ADDPESH</b>	<b>Module</b> - Add an 11" Power Elevating Seat to either SAPTX, SAPRX or SAPTPRX	(E2300)	\$3,995
		▲ Maximum user weight is 400lb with this option.		

## ▼ ELECTRONICS - SINGLE OR DUAL (1 OR 2 ACTUATORS) POWER SEAT FUNCTION CONTROLLERS

<input type="checkbox"/>	<b>SAC</b>	Single (1) Power Seat Function Controller to Interface through R-net Electronics	(E2310)	\$1,085
<input type="checkbox"/>	<b>DAC</b>	Dual (2) Power Seat Function Controller to Interface through R-net Electronics	(E2310)	\$1,630
		<b>With the SAC or DAC, please select one activation and position from the list below</b>		
<input type="checkbox"/>	<b>SWTOGGLE</b>	Single Toggle Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User <input type="checkbox"/> Attendant	STD
		▲ Requires the Single (1 Actuator) Power Seat Function Controller (SAC) or the Dual (2 Actuators) Power Seat Function Controller (DAC)		
<input type="checkbox"/>	<b>SWPUSH1</b>	Single Push Button Switch (Single Mode: SAC)	<input type="checkbox"/> User <input type="checkbox"/> Attendant	STD
		▲ Requires the Single (1 Actuator) Power Seat Function Controller (SAC)		
<input type="checkbox"/>	<b>SWPUSH2</b>	Dual Push Button Switch (Single Mode: DAC - Dual Mode: SAC)	<input type="checkbox"/> User <input type="checkbox"/> Attendant	STD
		▲ Requires the Single (1 Actuator) Power Seat Function Controller (SAC) or the Dual (2 Actuators) Power Seat Function Controller (DAC)		
<input type="checkbox"/>	<b>SWTJSS</b>	Single actuator activation through R-net Joystick or Specialty Controls		N/C
		▲ Requires the Single (1 Actuator) Power Seat Function Controller (SAC)		
<input type="checkbox"/>	<b>SWTJSD</b>	Dual actuator activation through R-net Joystick or Specialty Controls		N/C
		▲ Requires the Dual (2 Actuators) Power Seat Function Controller (DAC)		
<input type="checkbox"/>	<b>SWTVR2</b>	Tilt only activation through 6-key PG Drives VR2 Joysticks		N/C
		▲ Requires the P&G 6-Key VR2 Joystick from Amysystems, Quickie or Pride.		
<input type="checkbox"/>	<b>SWTMK6-ACCT</b>	Tilt only activation through Invacare:	<input type="checkbox"/> SPJ-PSS <input type="checkbox"/> SPJ-ACC <input type="checkbox"/> MPJ	N/C
		▲ Requires the SPJ-ACC, SPJ-PSS or MPJ Joystick with the MK690-ACC controller from Invacare.		

## ▼ ELECTRONICS - MULTIPLE (3 to 6 ACTUATORS) POWER SEAT FUNCTION CONTROLLER

<input type="checkbox"/>	<b>MAC</b>	Multiple (3 to 6 Actuators) Power Seat Function Controller to Interface through R-net Electronics	(E2311)	\$2,300
		<b>With the MAC, please select one activation and position from the list below</b>		
<input type="checkbox"/>	<b>SWMULTI</b>	4-Way Toggle Switch (Up to 4 Activations)	<input type="checkbox"/> User <input type="checkbox"/> Attendant	N/C
		▲ Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)		
<input type="checkbox"/>	<b>SWMULTIT</b>	Triple Toggle Switch (Up to 5 Activations)	<input type="checkbox"/> User <input type="checkbox"/> Attendant	N/C
		▲ Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)		
<input type="checkbox"/>	<b>SWPUSH4</b>	4-Way Push Button Switch	<input type="checkbox"/> User <input type="checkbox"/> Attendant	N/C
		▲ Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)		
<input type="checkbox"/>	<b>SWPUSH5</b>	5-Way Push Button Switch	<input type="checkbox"/> User <input type="checkbox"/> Attendant	N/C
		▲ Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)		
<input type="checkbox"/>	<b>SWTJSM</b>	Multiple Actuator activation through R-net Joystick or Specialty Controls		STD
		▲ Requires the Multiple (3 to 6 Actuators) Power Seat Function Controller (MAC)		

## ▼ SWITCH ACTIVATION HAND MOUNT

<input type="checkbox"/>	<b>TSML</b>	Install Switch on LH side		N/C
<input type="checkbox"/>	<b>TSMR</b>	Install Switch on RH side		N/C

## ▼ JOYSTICK MOUNT

<input type="checkbox"/>	<b>SOSWJSM</b>	Swing Away Joystick Mount - Height adjustable, Angle adjustable and Multi-Axis	(E1028)	\$244
		<input type="checkbox"/> Set-up with standard installation to swing-away sideways		
		<input type="checkbox"/> Set-up at 35° to swing-away sideways and downwards		

## ▼ JOYSTICK MOUNT SUPPORT

<input type="checkbox"/>	<b>JSMFH</b>	Joystick mount support Bracket		STD
--------------------------	--------------	--------------------------------	--	-----

## ▼ JOYSTICK HAND MOUNT

<input type="checkbox"/>	<b>HML</b>	Install Joystick on Left hand side		
<input type="checkbox"/>	<b>HMR</b>	Install Joystick on Right hand side		

▼ **PRE-SET SEAT ANGLE (For Non-Reclining Backs)**

**SOBAA** Please Select one:  82°  90°  98°  106° N/C

▼ **LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 28"**

**SOWN19-24-22** Width adjustment from 19" to 24" and Depth range of 18" to 22" N/C  
 **SOWN24-28-24** Width adjustment from 24" to 28" and Depth range of 18" to 24" N/C

<input type="checkbox"/> 19" (SOWN19L)	<input type="checkbox"/> 23" (SOWN23)	<input type="checkbox"/> 26" (SOWN26HDL)
<input type="checkbox"/> 20" (SOWN20L)	<input type="checkbox"/> 24" (SOWN24)	<input type="checkbox"/> 27" (SOWN27HDL)
<input type="checkbox"/> 21" (SOWN21)	<input type="checkbox"/> 24" (SOWN24HDL)	<input type="checkbox"/> 28" (SOWN28HDL)
<input type="checkbox"/> 22" (SOWN22)	<input type="checkbox"/> 25" (SOWN25HDL)	

▼ **CUSTOM WIDTH ABOVE 28"**

**SOWCUS** Custom Seat Width Specify: \_\_\_\_\_ \$ 465.00

▼ **ADJUSTABLE SEAT DEPTH RANGE BETWEEN 17" AND 24"**

<input type="checkbox"/> 17" (SODN17)	<input type="checkbox"/> 20" (SODN20)	<input type="checkbox"/> 23" (SODN23)
<input type="checkbox"/> 18" (SODN18)	<input type="checkbox"/> 21" (SODN21)	<input type="checkbox"/> 24" (SODN24)
<input type="checkbox"/> 19" (SODN19)	<input type="checkbox"/> 22" (SODN22)	

▼ **CUSTOM DEPTH ABOVE 24"**

**SODCUS** Custom Seat Depth Specify: \_\_\_\_\_ \$ 250.00

▼ **BACK CANE HEIGHT (The back cane height measurement is taken from the seat pan to the top of the push handles)**

<input type="checkbox"/> 16" (SOBCH16)	<input type="checkbox"/> 22" (SOBCH22)	22" is the minimum back cane height required with a power recline.
<input type="checkbox"/> 18" (SOBCH18)	<input type="checkbox"/> 24" (SOBCH24)	
<input type="checkbox"/> 20" (SOBCH20)	<input type="checkbox"/> 26" (SOBCH26)	

▼ **CUSTOM BACK CANE HEIGHT ABOVE 27"**

**SOBHCUS** Custom Back Cane Height Specify: \_\_\_\_\_ \$ 250.00

▼ **BACK SUPPORT**

<input type="checkbox"/> <b>STDSB</b>	Standard contour back support 15" to 24" Wide with a maximum shell height of 22" ▲ The minimum space between the back and seat pan is 3" with a fixed back and 6" with a reclining back	(Not Coded)	N/C
<input type="checkbox"/> <b>NXTFHTAC</b>	NXT Optima FHT AC Fixed Thoracic Back Support (15" to 21" Wide)	(E2620)	\$660
<input type="checkbox"/> <b>NXTFHTAC</b>	NXT Optima FHT AC Fixed Thoracic Back Support (22" to 24" Wide) ▲ The actual back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 3" with a fixed back and 6" with a reclining back	(E2621)	\$705
<input type="checkbox"/> <b>STDSBO</b>	Omission of the Contour Back Support ▲ It is recommended to use the Back Support option with the power recline.	Specify Model of Back Support: _____	N/C

▼ **BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)**

<input type="checkbox"/> 16" (SOBH16)	<input type="checkbox"/> 24" (SOBH24)	This height is not available with the NXT Optima option (NXTFHTAC) 22" is the minimum back height required with a power or manual recline.
<input type="checkbox"/> 18" (SOBH18)	<input type="checkbox"/> 26" (SOBH26)	
<input type="checkbox"/> 20" (SOBH20)	<input type="checkbox"/> 28" (SOBH28)	

▼ **SEAT CUSHIONS**

► **CG Air - THERAPEUTIC AIR CUSHION**

<input type="checkbox"/> Single Valve 15" to 21" Wide	(E2622)	CELL HEIGHT <input type="checkbox"/> 2"	
<input type="checkbox"/> Single Valve 22" to 24" Wide	(E2623)	<input type="checkbox"/> 3"	
<input type="checkbox"/> Custom Cushion (Please use the CG Air Order Form)		<input type="checkbox"/> 4"	
<input type="checkbox"/> <b>CGA1VSCxxx-x</b>	CG Air Single Valve (with Standard 2-way Stretch Cover) - NEW		\$527
<input type="checkbox"/> <b>CGA1V3Dxxx-x</b>	CG Air Single Valve (with 3D Mesh Cover) - NEW		\$582
<input type="checkbox"/> <b>CGA1VICxxx-x</b>	CG Air Single Valve (with Incontinence Cover) - NEW ▲ The actual cushion sizes only come in even numbers for width and depth measurements.		\$557

► **NXT BIO-FIT CUSHION**

<input type="checkbox"/> <b>NXTBIOFIT</b>	NXT BIO FIT Cushion (15" to 21" Wide)	(E2607)	\$418
<input type="checkbox"/> <b>NXTBIOFIT</b>	NXT BIO FIT Cushion (22" to 24" Wide) ▲ The actual cushion sizes only come in even numbers for width and depth measurements.	(E2608)	\$445

▼ **CANTILEVER - HEIGHT ADJUSTABLE ARMRESTS - OPENS WITH A 5° ANGLE (For Non-Reclining Backs - Choose 2)**

<input type="checkbox"/>	<b>SOAFBFLH</b>	Flip-Back Cantilever - Full Length Left Side (Height Adjustable from 7" to 15" with 1" increments)	STD
<input type="checkbox"/>	<b>SOAFBFRH</b>	Flip-Back Cantilever - Full Length Right Side (Height Adjustable from 7" to 15" with 1" increments)	STD
<input type="checkbox"/>	<b>SOAFBDLH</b>	Flip-Back Cantilever - Desk Length Left Side (Height Adjustable from 7" to 15" with 1" increments)	N/C
<input type="checkbox"/>	<b>SOAFBDRH</b>	Flip-Back Cantilever - Desk Length Right Side (Height Adjustable from 7" to 15" with 1" increments)	N/C

▼ **DUAL POST - HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (For Non-Reclining Backs - Choose 2)**

<input type="checkbox"/>	<b>SOADPFLH</b>	Dual Post Height Adjustable - Full Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")	<b>(E0973)</b>	\$120
<input type="checkbox"/>	<b>SOADPFRH</b>	Dual Post Height Adjustable - Full Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")	<b>(E0973)</b>	\$120
<input type="checkbox"/>	<b>SOADPDLH</b>	Dual Post Height Adjustable - Desk Length Left Side (Height Adjustable from 10 ¼" - 15 ¼")	<b>(E0973)</b>	\$120
<input type="checkbox"/>	<b>SOADPDRH</b>	Dual Post Height Adjustable - Desk Length Right Side (Height Adjustable from 10 ¼" - 15 ¼")	<b>(E0973)</b>	\$120

▼ **RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (For Reclining Backs - Choose 2)**

<input type="checkbox"/>	<b>SOANIFLH</b>	Reclining armrest - Full Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments)	N/C
<input type="checkbox"/>	<b>SOANIFRH</b>	Reclining armrest - Full Length Right Side (Height Adjustable from 10 ½" to 14" with ½" increments)	N/C
<input type="checkbox"/>	<b>SOANIDLH</b>	Reclining armrest - Desk Length Left Side (Height Adjustable from 10 ½" to 14" with ½" increments)	N/C
<input type="checkbox"/>	<b>SOANIDRH</b>	Reclining armrest - Desk Length Right Side (Height Adjustable from 10 ½" to 14" with ½" increments)	N/C

▼ **ARMREST HEIGHT ADJUSTMENT AT FACTORY**

Please set the Armrest Height at: \_\_\_\_\_ "

▲ The Armrest Height is taken from the seat pan to the top of the armpad. Not required for Dual Post

▼ **ARMPADS**

► **Foam Type Selection**

<input type="checkbox"/>	<b>SOFAPD</b>	Desk Length Standard (10")	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	STD
<input type="checkbox"/>	<b>SOFAPF</b>	Full Length Standard (14")	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	STD
<input type="checkbox"/>	<b>SOWAPD</b>	Desk Length Waterfall (10")	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$25
		▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports		
<input type="checkbox"/>	<b>SOWAPF</b>	Full Length Waterfall (14")	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$25
		▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports		

► **Hybrid Gel and Foam Type Selection (The Gel always stays soft)**

<input type="checkbox"/>	<b>SOGELD</b>	Desk Length Hybrid Gel and Foam Flat armpad (10")	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$60
<input type="checkbox"/>	<b>SOGELF</b>	Full Length Hybrid Gel and Foam Flat armpad (14")	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$60
<input type="checkbox"/>	<b>SOWGELD</b>	Desk Length Hybrid Gel and Foam Waterfall armpad (10")	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$95
		▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports		
<input type="checkbox"/>	<b>SOWGELF</b>	Full Length Hybrid Gel and Foam Waterfall armpad (14")	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$95
		▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports		

► **Specialty Type Selection**

<input type="checkbox"/>	<b>SOCAR</b>	Arm Trough with Hand Support (18" x 4 ½") <b>(E2209)</b>	Select Side: <input type="checkbox"/> Left <input type="checkbox"/> Right	\$128
		▲ Arm Trough Armpads may interfere with Armrests Flipping back.		

▼ **FOOTRESTS**

<input type="checkbox"/>	<b>SOAAF**-STD</b>	Adult <b>Heavy Duty</b> Swing-Away footrests	Set at: <input type="checkbox"/> 60° <input type="checkbox"/> 70° Select Footrest Range: <input type="checkbox"/> SOFLHD12 (12 ½" - 15 ½") <input type="checkbox"/> SOFLHD14 (14 ½" - 19 ½")	STD
<input type="checkbox"/>	<b>ADDPLHD</b>	Adult Power Elevating & Articulating Legrests	<b>(E1010)</b>	\$2,295
		▲ This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function.		
		Please Select Function: <input type="checkbox"/> Individual <input type="checkbox"/> Combined		
		Select Footrest Range: <input type="checkbox"/> SOFLPW12 (12 ½" - 15 ½") <input type="checkbox"/> SOFLPW14 (14 ½" - 19 ½")		

▼ **FOOTPLATES & ACCESSORIES**

<input type="checkbox"/>	<b>SOSFAF</b>	Flip-up Footplates	STD
<input type="checkbox"/>	<b>SOAFP</b>	Angle Adjustable & Flip-up Footplates - Each	<b>(K0040)</b> \$85
<input type="checkbox"/>	<b>SOAHL</b>	Heel Loops - Each	<b>(E0951)</b> \$21
<input type="checkbox"/>	<b>SOACPF</b>	Calf Pads for Adult Heavy-Duty Swing-Away footrests <b>(SOAAF)</b> with adjustable hardware - Each	<b>(E0995)</b> \$38

▼ **FOOTREST LENGTH ADJUSTMENT AT FACTORY**

Please set the Footrest Length at: \_\_\_\_\_ "

The Footrest Length is taken from the top of the seat pan to the top of the footplate.

## ▼ CENTER MOUNTS

<input type="checkbox"/> SOAAF90HD	90° Fixed Center Mount Interface Bracket ( <b>Offers Manual adjustability from 95° to 70°</b> ) ▲ Please Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB). With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate. Select Foot Platform Range: <input type="checkbox"/> SOFBA12 (12 ½" - 16 ½") <input type="checkbox"/> SOFBA16 (16 ½" - 19 ½")	N/C
<input type="checkbox"/> ADDPFHD	90° Power Center Mount Elevating & Articulating Foot Platform ▲ This option includes calf pads. The power center mount counts as one power function. Please Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB). The Maximum user weight with this option is 450lb. Select Foot Platform Range: <input type="checkbox"/> SOFBPW12 (12 ½" - 16 ½") <input type="checkbox"/> SOFBPW16 (16 ½" - 20 ½")	(E1012 / K0108) \$2,295
<input type="checkbox"/> ADDPFVH	90° Power Center Mount Elevating & Articulating Foot Platform ▲ This option includes calf pads. The power center mount counts as one power function. Please Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB). Select Foot Platform Range: <input type="checkbox"/> SOFBPW15 (15" - 19") <input type="checkbox"/> SOFBPW19 (19" - 23")	(E1012 / K0108) \$2,295

## ▼ FOOT PLATFORMS & ACCESSORIES

<input type="checkbox"/> SOFUFP	Flip-up one piece Foot Platform	N/C
<input type="checkbox"/> SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount - Each	(K0040) \$85
<input type="checkbox"/> SOACPCM	Calf Pads for 90° Fixed Center Mount (SOAAF90) with adjustable hardware - Each	(E0995) \$38

## ▼ FOOT PLATFORM LENGTH ADJUSTMENT AT FACTORY

Please set the Foot Platform Length at: \_\_\_\_\_ "

The Foot Platform Length is taken from the top of the seat pan to the top of the foot platform or split foot plates.

## ▼ SEAT POSITIONING

<input type="checkbox"/> SOAUTO	55" Seat Positioning Strap	STD
<input type="checkbox"/> SOAUTO80	80" Seat Positioning Strap	\$75
<input type="checkbox"/> SOBPHP2C	Bodypoint padded Hip Belt (Two Point - Center Pull)	(E0978) \$150
<input type="checkbox"/> SOBPCS	Bodypoint padded Chest Strap	(E0960) \$215

## ▼ HEADREST

Please select one of the headrest options with the mounting hardware and specify where the headrest will be installed

<input type="checkbox"/> SONUAHR	Using headrest mounting hardware other than SOMAH located below. Specify: _____	N/C
<input type="checkbox"/> SOFHRS	Small Curved Headrest Pad 4" x 9"	(E0955) \$233
<input type="checkbox"/> SOFHRM	Medium Curved Headrest Pad 5" x 10"	(E0955) \$233
<input type="checkbox"/> SOFHRL	Large Curved Headrest Pad 6" x 11"	(E0955) \$233
<input type="checkbox"/> SOMAH	Multi-axis Removable Mounting Hardware	(E1028) \$238
<input type="checkbox"/> SOHRBC	Bracket to Mount on the Contour Back Support ( <b>Without Recline</b> )	N/C
<input type="checkbox"/> SOHRPR	Bracket to Mount on the Seat Frame ( <b>For Reclining Backs</b> )	N/C

## ▼ LATERAL TRUNK SUPPORTS

Please select one of the lateral pads and the adjustable & removable hardware.

<input type="checkbox"/> SOSLS3	Adjustable Laterals with Small Curved Pads (Each) - 3" x 5"	(E0956) \$112
<input type="checkbox"/> SOSLM4	Adjustable Laterals with Medium Curved Pads (Each) - 4" x 6"	(E0956) \$112
<input type="checkbox"/> SOSLL5	Adjustable Laterals with Large Curved Pads (Each) - 5" x 7"	(E0956) \$112
<input type="checkbox"/> SOSLHM	Adjustable Swing-Away Hardware Mounts - Each	(E1028) \$238

## ▼ HIP & THIGH SUPPORTS

Please select one of the hip & thigh support pads and the adjustable & removable hardware.

<input type="checkbox"/> SOHTSS10	Adjustable Hip & Thigh Support Pads (Each) - Small 10" x 4"	(E0956) \$112
<input type="checkbox"/> SOHTSM12	Adjustable Hip & Thigh Support Pads (Each) - Medium 12" x 5"	(E0956) \$112
<input type="checkbox"/> SOHTSL14	Adjustable Hip & Thigh Support Pads (Each) - Large 14" x 6"	(E0956) \$112
<input type="checkbox"/> SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware - Each	(E1028) \$238

## ▼ ACCESSORIES

<input type="checkbox"/> SOCH	Cup Holder (Self-Leveling)	\$90
<input type="checkbox"/> SOCPH	Ram Mounts X-Grip Cell Phone Holder	\$120
<input type="checkbox"/> SOTHS	Ram Mounts X-Grip Small Tablet Holder	\$170
<input type="checkbox"/> SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel	\$270

## ▼ BACK PACK AND ARMREST SIDE POUCHES

<input type="checkbox"/> SOBP	Back Pack (Comes with durable straps that can be hooked around the back canes)	\$79
<input type="checkbox"/> SOAP	Armrest Side Pouch (Comes with durable straps that can be hooked around the armrest tubes) - Order <input type="checkbox"/> 1 <input type="checkbox"/> 2	\$57

## ▼ SWITCHES AND OPTIONS

<input type="checkbox"/> SSBS	Buddy Button Switch	(K0108) \$150
<input type="checkbox"/> SSES	Egg Switch-Black	(K0108) \$150
<input type="checkbox"/> SSML	Ultra Light Switch	(K0108) \$155

**▼ CUSTOM SECTION**

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

**▼ O<sup>2</sup> Holder**

<input type="checkbox"/> <b>SUPOXY</b>	Custom Non-Articulating Oxygen Tank Holder ▲ Not available with a power tilt and/or power recline	<b>(E2208)</b>	\$270
<input type="checkbox"/> <b>SUPOXYA</b>	Custom Articulating Oxygen Tank Holder ▲ Required with a power tilt and/or power recline	<b>(K0108)</b>	\$1,195
<input type="checkbox"/> <b>D-Size Oxygen Tank (* 22" Tall x 4.3" Diameter) * The height includes the valve</b> <input type="checkbox"/> <b>E-Size Oxygen Tank (* 31" Tall x 4.3" Diameter) * The height includes the valve</b> <input type="checkbox"/> <b>MLH (Mount on Left)</b> <input type="checkbox"/> <b>MRH (Mount on Right)</b>			

**▼ VENT TRAY (Please complete in Full)**

Amysystems does not supply the battery, charger or the wiring for the Vent. These items are normally provided by the Vent Manufacturer.

<input type="checkbox"/> <b>SOVENT</b>	Custom Vent Tray		
	<input type="checkbox"/> <b>Articulating Vent Box</b> ▲ Required with Power Tilt and/or Recline	<b>(E1030)</b>	\$1,420
	<input type="checkbox"/> <b>Fixed Vent Box</b>	<b>(E1029)</b>	\$400
	Specify Vent Model: _____		
<input type="checkbox"/> <b>SOVTBE</b>	Custom Tray for Ventilator Battery	<b>(K0108)</b>	\$495
<input type="checkbox"/> <b>The Vent is being powered by 1 U1 Battery</b> <input type="checkbox"/> <b>The Vent is being powered by 1 22NF Battery</b> <input type="checkbox"/> <b>The Vent is being powered by 1 Group 24 Battery</b> <input type="checkbox"/> <b>The Vent is being powered by 1 Group 34 Battery</b>			

**▼ CUSTOM SECTION - Continued**

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

**▼ OTHER CUSTOM OPTIONS (Request For Quote)**

Please specify details and specifications for these options.

<input type="checkbox"/> <b>PAT</b>	Power Anterior Tilt		RFQ
<input type="checkbox"/> <b>CUSTOM</b>	4-Point wheelchair tie downs ▲ 4-Point wheelchair transport brackets are not crash-tested in accordance with WC-19, Use these transport brackets only to secure an unoccupied wheelchair during transport.		RFQ
<input type="checkbox"/> <b>CUSTOM</b>	Power Flip-up Foot Platform (Please call CSR for availability with configuration and user weight capacity)		RFQ
<input type="checkbox"/> <b>CUSTOM</b>	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan		RFQ
<input type="checkbox"/> <b>CUSTOM</b>	Endomorphic Back Canes (Pair) <input type="checkbox"/> 1" per side towards the inside = 2" in <input type="checkbox"/> 2" per side towards the inside = 4" in		RFQ
<input type="checkbox"/> <b>CUSTOM</b>	Transfer Handles (Pair)		RFQ
<input type="checkbox"/> <b>CUSTOM # 1</b>	Other custom options. Specify in notes section below.		RFQ
<input type="checkbox"/> <b>CUSTOM # 2</b>	Other custom options. Specify in notes section below.		RFQ

**▼ SEAT TO FLOOR HEIGHT SPECIFICATION (If not standard)**

<input type="checkbox"/> <b>SOMHSS</b>	Specific seat to floor height requirement other than standard. Specify at: _____ " (± ¼" Range)		RFQ
--	--	--	-----

**▼ NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS**

